

<i>Imperial</i>	<i>SP-100-1</i>	<i>SP-125-1</i>	<i>SP-225-1</i>	<i>SP-325</i>
Vehicle Compatibility	Trucks, UTVs & Tractors	Trucks, UTVs & Tractors	Trucks, UTVs & Tractors	Trucks, UTVs & Tractors
Material Compatibility	Bagged Ice Melters, Calcium Chloride Pellets, Calcium Flakes	Bagged Ice Melters, Calcium Chloride Pellets, Calcium Flakes	Bagged Salt	Bagged Salt
Capacity (Volume)	3.0 cu ft	3.0 cu ft	3.0 cu ft	3.25 cu ft
Spreading Width	Up to 20'	Up to 20'	Up to 25'	Up to 25'
Approx. Weight (Empty)	75 lb	65 lb	68 lb	79 lb
Overall Dimensions (LxWxH)	22" x 30" x 30"	22" x 30" x 30"	22" x 30" x 32"	18" x 33" x 33"
Hopper Dimensions (LxW)	22" x 30"	22" x 30"	22" x 30"	16.5" x 33"
Capacity (Weight)*	240 lb	240 lb	240 lb	260 lb
Motors	Dual Electric, 12V, Sealed	Dual Electric, 12V, Sealed	Dual Electric, 12V, Sealed	Dual Electric, 12V, Sealed
Spinner	10"	10"	10"	10"
Auger	N/A	N/A	3" vertical high-flow auger	3" vertical high-flow auger
Feedgate	Electronically Controlled	Manual	N/A	N/A
Wiring Harness	12-gauge with molded plugs and connectors	Multiple gauge harness with plug-ends and finished connectors	Automotive style with plug-ends and finished connectors	Completely loomed with molded plugs

<i>Metric</i>	<i>SP-100-1</i>	<i>SP-125-1</i>	<i>SP-225-1</i>	<i>SP-325</i>
	SP-100-1	SP-125-1	SP-225-1	SP-325
Vehicle Compatibility	Trucks, UTVs & Tractors	Trucks, UTVs & Tractors	Trucks, UTVs & Tractors	Trucks, UTVs & Tractors
Material Compatibility	Bagged Ice Melters, Calcium Chloride Pellets, Calcium Flakes	Bagged Ice Melters, Calcium Chloride Pellets, Calcium Flakes	Bagged Salt	Bagged Salt
Capacity (Volume)	0.085 cu m	0.085 cu m	0.085 cu m	0.092 cu m
Spreading Width	Up to 6.1 m	Up to 6.1 m	Up to 7.6 m	Up to 7.6 m
Approx. Weight (Empty)	34.0 kg	29.5 kg	30.8 kg	35.8 kg
Overall Dimensions (LxWxH)	55.9 cm x 76.2 cm x 76.2 cm	55.9 cm x 76.2 cm x 76.2 cm	55.9 cm x 76.2 cm x 81.3 cm	45.7 cm x 83.8 cm x 83.8 cm
Hopper Dimensions (LxW)	55.9 cm x 76.2 cm	55.9 cm x 76.2 cm	55.9 cm x 76.2 cm	41.9 cm x 83.8 cm
Capacity (Weight)*	108.9 kg	108.9 kg	108.9 kg	117.9 kg
Motors	Dual Electric, 12V, Sealed	Dual Electric, 12V, Sealed	Dual Electric, 12V, Sealed	Dual Electric, 12V, Sealed
Spinner	25.4 cm	25.4 cm	25.4 cm	25.4 cm
Auger	N/A	N/A	7.6 cm vertical high-flow auger	7.6 cm vertical high-flow auger
Feedgate	Electronically Controlled	Manual	N/A	N/A
Wiring Harness	12-gauge with molded plugs and connectors	Multiple gauge harness with plug-ends and finished connectors	Automotive style with plug-ends and finished connectors	Completely loomed with molded plugs



## Utility Specifications

---

\*Material weight equates to approximately 2,160 lb/cu yd or 80 lb/cu ft (1 bag of rock salt).